



















Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Case IH	Maxxum 115 Multicontroller	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 115 Multicontroller	C		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 115 Multicontroller EP	C	kein Seitenrahmen vorhanden	breit (1.100mm)	X		X																																					
Case IH	Maxxum 115 Multicontroller EP	C	kein Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 115 X	C		breit (1.100mm)	X	X	X	Optional																																				
Case IH	Maxxum 115 X	C		standard (916mm)	X	X	X	Optional																																				
Case IH	Maxxum 120 CVX	B	kein Seitenrahmen vorhanden	breit (1.100mm)	X		X																																					
Case IH	Maxxum 120 CVX	B	kein Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 120 CVX	A	Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 120 EP	B	kein Seitenrahmen vorhanden	breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 120 EP	B	kein Seitenrahmen vorhanden	standard (916mm)	X	X	X																																					
Case IH	Maxxum 120 EP	A	Seitenrahmen vorhanden	standard (916mm)	X	X	X																																					
Case IH	Maxxum 120 Multicontroller	B		breit (1.100mm)	X	X																																						
Case IH	Maxxum 120 Multicontroller	B		standard (916mm)	X	X																																						
Case IH	Maxxum 120 Multicontroller EP	B	kein Seitenrahmen vorhanden	breit (1.100mm)	X		X																																					
Case IH	Maxxum 120 Multicontroller EP	B	kein Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 120 Multicontroller EP	A	Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 125	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125	C		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 CVX	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 CVX	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 CVX	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 CVX	C		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 EP	C	kein Seitenrahmen vorhanden	breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 EP	C	kein Seitenrahmen vorhanden	standard (916mm)	X	X	X																																					
Case IH	Maxxum 125 Multicontroller	C		breit (1.100mm)	X	X	X	Optional																																				
Case IH	Maxxum 125 Multicontroller	C		standard (916mm)	X	X	X	Optional																																				
Case IH	Maxxum 125 Multicontroller	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 Multicontroller	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 Multicontroller	C		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 125 Multicontroller EP	C	kein Seitenrahmen vorhanden	breit (1.100mm)	X		X																																					
Case IH	Maxxum 125 Multicontroller EP	C	kein Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 125 X	C		breit (1.100mm)	X	X	X	Optional																																				
Case IH	Maxxum 125 X	C		standard (916mm)	X	X	X	Optional																																				
Case IH	Maxxum 130 CVX	B	kein Seitenrahmen vorhanden	breit (1.100mm)	X		X																																					
Case IH	Maxxum 130 CVX	B	kein Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 130 CVX	A	Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 130 EP	B	kein Seitenrahmen vorhanden	breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 130 EP	B	kein Seitenrahmen vorhanden	standard (916mm)	X	X	X																																					
Case IH	Maxxum 130 EP	A	Seitenrahmen vorhanden	standard (916mm)	X	X	X																																					
Case IH	Maxxum 130 Multicontroller	B		breit (1.100mm)	X	X																																						
Case IH	Maxxum 130 Multicontroller	B		standard (916mm)	X	X																																						
Case IH	Maxxum 130 Multicontroller EP	B	kein Seitenrahmen vorhanden	breit (1.100mm)	X		X																																					
Case IH	Maxxum 130 Multicontroller EP	B	kein Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 130 Multicontroller EP	A	Seitenrahmen vorhanden	standard (916mm)	X		X																																					
Case IH	Maxxum 135	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135	C		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135 CVX	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135 CVX	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135 CVX	C		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135 CVX	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135 CVX	C		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135 Multicontroller	A		breit (1.100mm)	X	X	X																																					
Case IH	Maxxum 135 Multicontroller	A																																										

















Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Claas	Arion 610 Cis	C		breit (1.100mm)	X	X	X																																					
Claas	Arion 610 Cis+	A		breit (1.100mm)	X	X	X																																					
Claas	Arion 610 Cis+	C		breit (1.100mm)	X	X	X																																					
Claas	Arion 620 C	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 620 C	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 620 Cebis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 620 Cebis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 620 Cebis	C		breit (1.100mm)	X		X																																					
Claas	Arion 620 Cis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 620 Cis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 620 Cis	C		breit (1.100mm)			X																																					
Claas	Arion 620 Cis	C		breit (1.100mm)			X	Serie																																				
Claas	Arion 630 C	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 630 C	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 630 Cebis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 630 Cebis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 630 Cebis	C		breit (1.100mm)	X		X																																					
Claas	Arion 630 Cebis	C		breit (1.100mm)	X		X	Serie																																				
Claas	Arion 630 Cebis	A		breit (1.100mm)	X		X																																					
Claas	Arion 630 Cebis	C		breit (1.100mm)	X		X																																					
Claas	Arion 630 Cis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 630 Cis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 630 Cis+	A		breit (1.100mm)	X	X	X																																					
Claas	Arion 630 Cis+	C		breit (1.100mm)	X	X	X																																					
Claas	Arion 640 Cebis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 640 Cebis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 640 Cebis	C		breit (1.100mm)	X		X																																					
Claas	Arion 640 Cis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 640 Cis	C		breit (1.100mm)	X	X	X	Serie																																				
Claas	Arion 640 Cis	C		breit (1.100mm)			X																																					
Claas	Arion 640 Cis	C		breit (1.100mm)			X	Serie																																				
Claas	Arion 650 Cebis	C		breit (1.100mm)	X		X																																					
Claas	Arion 650 Cebis	C		breit (1.100mm)	X		X	Serie																																				
Claas	Arion 650 Cebis	A		breit (1.100mm)	X		X																																					
Claas	Arion 650 Cebis	C		breit (1.100mm)	X		X																																					
Claas	Arion 650 Cis	C		breit (1.100mm)			X																																					
Claas	Arion 650 Cis	C		breit (1.100mm)			X	Serie																																				
Claas	Arion 650 Cis	A		breit (1.100mm)	X	X	X																																					
Claas	Arion 650 Cis	C		breit (1.100mm)	X	X	X																																					
Claas	Arion 650 Cis+	A		breit (1.100mm)	X	X	X																																					
Claas	Arion 650 Cis+	C		breit (1.100mm)	X	X	X																																					
Claas	Arion 660 Cebis	A		breit (1.100mm)	X		X																																					
Claas	Arion 660 Cebis	C		breit (1.100mm)	X		X																																					
Claas	Arion 660 Cis	A		breit (1.100mm)	X	X	X																																					
Claas	Arion 660 Cis	C		breit (1.100mm)	X	X	X																																					
Claas	Arion 660 Cis+	A		breit (1.100mm)	X	X	X																																					
Claas	Arion 660 Cis+	C		breit (1.100mm)	X	X	X																																					
Claas	Atos 220	B		standard (916mm)	X	X	X	Serie																																				
Claas	Atos 220	B		standard (916mm)		X	X	Optional																																				
Claas	Atos 230	B		standard (916mm)	X	X	X	Serie																																				
Claas	Atos 230	B		standard (916mm)		X	X	Optional																																				























Schlepper/Schwingen Zuordnung  
STOLL ProfilLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
Deutz-Fahr	Agrotron 6185 G RCShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6185 RCShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6185 TTV	C		breit (1.100mm)	X		X																																				
Deutz-Fahr	Agrotron 6190	C		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190 CShift	C		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190 CShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190 P	C		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190 P	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190 RCShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6190 TTV	C		standard (916mm)	X		X																																				
Deutz-Fahr	Agrotron 6190 TTV	C		breit (1.100mm)	X		X																																				
Deutz-Fahr	Agrotron 6190 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6205 G	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6205 G RCShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6205 Powershift	C		breit (1.100mm)	X		X																																				
Deutz-Fahr	Agrotron 6205 RCShift	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6205 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6210	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6210 CShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6210 RCShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6210 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6215 Powershift	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6215 RCShift	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6215 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6230	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6230 HD TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 6230 RCShift	C		breit (1.100mm)	X	X	X																																				
Deutz-Fahr	Agrotron 6230 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 630 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7210 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7230 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7230 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7250 HD TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7250 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7250 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7250 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7250 TTV Warrior	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7250 TTV Warrior	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 7250 TTV Warrior	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 80	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 80 MK3	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 8280 TTV	C		breit (1.100mm)	X		X	Serie																																			
Deutz-Fahr	Agrotron 85	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 85 MK3	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 90	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron 90 MK3	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron K 100	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron K 100	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron K 100 Profiline	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron K 100 Profiline	B		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron K 110	C		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron K 110 Profiline	C		standard (916mm)	X	X	X																																				
Deutz-Fahr	Agrotron K 120	B		standard (916mm)	X	X	X																																				



















Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Fendt	Vario 313 Gen4 Power	B		standard (916mm)	X		X																																					
Fendt	Vario 313 Gen4 Profi	B		breit (1.100mm)	X																																							
Fendt	Vario 313 Gen4 Profi	B		breit (1.100mm)	X		X																																					
Fendt	Vario 313 Gen4 Profi	B		standard (916mm)	X		X																																					
Fendt	Vario 313 Gen4 Profi+	B		breit (1.100mm)	X																																							
Fendt	Vario 313 Gen4 Profi+	B		standard (916mm)	X		X																																					
Fendt	Vario 313 S4-Power	B		breit (1.100mm)	X		X																																					
Fendt	Vario 313 S4-Power	B		standard (916mm)	X		X																																					
Fendt	Vario 313 S4-Profi	B		breit (1.100mm)	X																																							
Fendt	Vario 313 S4-Profi	B		breit (1.100mm)	X		X																																					
Fendt	Vario 313 S4-Profi	B		standard (916mm)	X		X																																					
Fendt	Vario 313 SCR	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 313 SCR	B		standard (916mm)	X	X	X																																					
Fendt	Vario 314 Gen4 Power	B		breit (1.100mm)	X																																							
Fendt	Vario 314 Gen4 Power	B		standard (916mm)	X		X																																					
Fendt	Vario 314 Gen4 Power	B		breit (1.100mm)	X																																							
Fendt	Vario 314 Gen4 Profi	B		standard (916mm)	X		X																																					
Fendt	Vario 314 Gen4 Profi	B		breit (1.100mm)	X																																							
Fendt	Vario 314 Gen4 Profi	B		standard (916mm)	X		X																																					
Fendt	Vario 314 Gen4 Profi+	B		breit (1.100mm)	X																																							
Fendt	Vario 314 Gen4 Profi+	B		standard (916mm)	X		X																																					
Fendt	Vario 409	B		standard (916mm)	X	X	X																																					
Fendt	Vario 410	B		standard (916mm)	X	X	X																																					
Fendt	Vario 411	B		standard (916mm)	X	X	X																																					
Fendt	Vario 411	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 411	B		standard (916mm)	X	X	X																																					
Fendt	Vario 412	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 412	B		standard (916mm)	X	X	X																																					
Fendt	Vario 412	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 413	B		standard (916mm)	X	X	X																																					
Fendt	Vario 413	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 413	B		standard (916mm)	X	X	X																																					
Fendt	Vario 414	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 414	B		standard (916mm)	X	X	X																																					
Fendt	Vario 414	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 415	B		standard (916mm)	X	X	X																																					
Fendt	Vario 415	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 415	B		standard (916mm)	X	X	X																																					
Fendt	Vario 415	B		breit (1.100mm)	X	X	X																																					
Fendt	Vario 512 Gen3 Power	B		standard (916mm)	X		X																																					
Fendt	Vario 512 Gen3 Power+	B		breit (1.100mm)	X		X																																					
Fendt	Vario 512 Gen3 Profi	B		standard (916mm)	X		X																																					
Fendt	Vario 512 Gen3 Profi+	B		breit (1.100mm)	X		X																																					
Fendt	Vario 512 Power	B		standard (916mm)	X		X																																					
Fendt	Vario 512 Profi	B		breit (1.100mm)	X		X																																					
Fendt	Vario 512 Profi Plus	B		standard (916mm)	X		X																																					
Fendt	Vario 513 Gen3 Power	B		breit (1.100mm)	X		X																																					
Fendt	Vario 513 Gen3 Power+	B		standard (916mm)	X		X																																					
Fendt	Vario 513 Gen3 Profi	B		breit (1.100mm)	X		X																																					
Fendt	Vario 513 Gen3 Profi+	B		standard (916mm)	X		X																																					
Fendt	Vario 513 Power	B		breit (1.100mm)	X		X																																					
Fendt	Vario 513 Profi	B		standard (916mm)	X		X																																					
Fendt	Vario 513 Profi Plus	B		breit (1.100mm)	X		X																																					
Fendt	Vario 514 Gen3 Power	B		standard (916mm)	X		X																																					
Fendt	Vario 514 Gen3 Power+	B		breit (1.100mm)	X		X																																					
Fendt	Vario 514 Gen3 Profi	B		standard (916mm)	X		X																																					





Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p					
Fendt	Vario 716	C		breit (1.100mm)	X		X							✓	✓																														
Fendt	Vario 716	C		standard (916mm)	X		X																																						
Fendt	Vario 716	C		standard (916mm)	X		X																																						
Fendt	Vario 716	C		breit (1.100mm)	X		X																																						
Fendt	Vario 716 Gen6 Power	C		breit (1.100mm)	X		X																																						
Fendt	Vario 716 Gen6 Power+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 716 Gen6 Profi	C		breit (1.100mm)	X		X																																						
Fendt	Vario 716 Gen6 Profi+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 716 Profi	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 716 Profi Plus	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 716 S4 Profi Plus	C		breit (1.100mm)	X		X																																						
Fendt	Vario 716 TMS	C		standard (916mm)	X		X																																						
Fendt	Vario 716 TMS	C		breit (1.100mm)	X		X																																						
Fendt	Vario 716 TMS	C		standard (916mm)	X		X																																						
Fendt	Vario 716 TMS	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718 Gen6 Power	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718 Gen6 Power+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718 Gen6 Profi	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718 Gen6 Profi+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718 Profi	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 718 Profi Plus	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 718 S4 Profi Plus	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718 TMS	C		breit (1.100mm)	X		X																																						
Fendt	Vario 718 TMS	C		breit (1.100mm)	X		X																																						
Fendt	Vario 720 Gen6 Power	C		breit (1.100mm)	X		X																																						
Fendt	Vario 720 Gen6 Power+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 720 Gen6 Profi	C		breit (1.100mm)	X		X																																						
Fendt	Vario 720 Gen6 Profi+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 720 Gen7 Power	C		breit (1.100mm)			X																																						
Fendt	Vario 720 Gen7 Power+	C		breit (1.100mm)			X																																						
Fendt	Vario 720 Gen7 Profi	C		breit (1.100mm)			X																																						
Fendt	Vario 720 Gen7 Profi+	C		breit (1.100mm)			X																																						
Fendt	Vario 720 Profi	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 720 Profi Plus	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 720 S4 Profi Plus	C		breit (1.100mm)	X		X																																						
Fendt	Vario 722 Gen6 Power	C		breit (1.100mm)	X		X																																						
Fendt	Vario 722 Gen6 Power+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 722 Gen6 Profi	C		breit (1.100mm)	X		X																																						
Fendt	Vario 722 Gen6 Profi+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 722 Gen7 Power	C		breit (1.100mm)			X																																						
Fendt	Vario 722 Gen7 Power+	C		breit (1.100mm)			X																																						
Fendt	Vario 722 Gen7 Profi	C		breit (1.100mm)			X																																						
Fendt	Vario 722 Gen7 Profi+	C		breit (1.100mm)			X																																						
Fendt	Vario 722 Profi	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 722 Profi Plus	C		breit (1.100mm)	X		X	Serie																																					
Fendt	Vario 722 S4 Profi Plus	C		breit (1.100mm)	X		X																																						
Fendt	Vario 724 Gen6 Power	C		breit (1.100mm)	X		X																																						
Fendt	Vario 724 Gen6 Power+	C		breit (1.100mm)	X		X																																						
Fendt	Vario 724 Gen6 Profi	C		breit (1.100mm)	X		X																																						
Fendt	Vario 724 Gen6 Profi+	C		breit (1.100mm)	X		X																																						



Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Fendt	Vario 724 Gen7 Power	C		breit (1.100mm)			X																																					
Fendt	Vario 724 Gen7 Power+	C		breit (1.100mm)			X																																					
Fendt	Vario 724 Gen7 Profi	C		breit (1.100mm)			X																																					
Fendt	Vario 724 Gen7 Profi+	C		breit (1.100mm)			X																																					
Fendt	Vario 724 Profi	C		breit (1.100mm)	X		X	Serie																																				
Fendt	Vario 724 Profi	C		breit (1.100mm)	X		X																																					
Fendt	Vario 724 Profi Plus	C		breit (1.100mm)	X		X	Serie																																				
Fendt	Vario 724 S4 Profi Plus	C		breit (1.100mm)	X		X																																					
Fendt	Vario 726 Gen7 Power	C		breit (1.100mm)			X																																					
Fendt	Vario 726 Gen7 Power+	C		breit (1.100mm)			X																																					
Fendt	Vario 726 Gen7 Profi	C		breit (1.100mm)			X																																					
Fendt	Vario 726 Gen7 Profi+	C		breit (1.100mm)			X																																					
Fendt	Vario 728 Gen7 Power	C		breit (1.100mm)			X																																					
Fendt	Vario 728 Gen7 Power+	C		breit (1.100mm)			X																																					
Fendt	Vario 728 Gen7 Profi	C		breit (1.100mm)			X																																					
Fendt	Vario 728 Gen7 Profi+	C		breit (1.100mm)			X																																					
Fendt	Vario 815	C		breit (1.100mm)	X		X																																					
Fendt	Vario 815	C		standard (916mm)	X		X																																					
Fendt	Vario 815	C		breit (1.100mm)	X		X																																					
Fendt	Vario 817	C		breit (1.100mm)	X		X																																					
Fendt	Vario 817	C		standard (916mm)	X		X																																					
Fendt	Vario 817	C		standard (916mm)	X		X																																					
Fendt	Vario 817	C		breit (1.100mm)	X		X																																					
Fendt	Vario 818	C		breit (1.100mm)	X		X																																					
Fendt	Vario 818	C		breit (1.100mm)	X		X																																					
Fendt	Vario 820	C		breit (1.100mm)	X		X																																					
Fendt	Vario 820	C		breit (1.100mm)	X		X																																					
Fendt	Xylon 520	C		standard (916mm)	X																																							
Fendt	Xylon 522	C		standard (916mm)	X																																							
Fendt	Xylon 524	C		standard (916mm)	X																																							
Fiat	100-90	C		standard (916mm)	X	X	X																																					
Fiat	110-90	C		standard (916mm)	X	X	X																																					
Fiat	45-66	B		standard (916mm)	X	X	X																																					
Fiat	45-66 DT	B		standard (916mm)	X	X	X																																					
Fiat	45-66 DTS	B		standard (916mm)	X	X	X																																					
Fiat	466	B		standard (916mm)	X	X	X																																					
Fiat	50-66 DTS	B		standard (916mm)	X	X	X																																					
Fiat	55-66 s	B		standard (916mm)	X	X	X																																					
Fiat	55-88	B		standard (916mm)	X	X	X																																					
Fiat	566	B		standard (916mm)	X	X	X																																					
Fiat	56-66 DTS	B		standard (916mm)	X	X	X																																					
Fiat	60-66 s	B		standard (916mm)	X	X	X																																					
Fiat	60-88	B		standard (916mm)	X	X	X																																					
Fiat	60-93	B		standard (916mm)	X	X	X																																					
Fiat	60-93 DT	B		standard (916mm)	X	X	X																																					
Fiat	65-66 s	B		standard (916mm)	X	X	X																																					
Fiat	65-88	B		standard (916mm)	X	X	X																																					
Fiat	65-90	B		standard (916mm)	X	X	X																																					
Fiat	65-93	B		standard (916mm)	X	X	X																																					
Fiat	666	B		standard (916mm)	X	X	X																																					
Fiat	680	B		standard (916mm)	X	X	X																																					
Fiat	70-66	B		standard (916mm)	X	X	X																																					
Fiat	70-88	B		standard (916mm)	X	X	X																																					
Fiat	70-90	B		standard (916mm)	X	X	X																																					
Fiat	72-93	B		standard (916mm)	X	X	X																																					
Fiat	72-94 DT	B		standard (916mm)	X	X	X																																					















Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p					
Huerlimann	XL 140 T4I	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 140 T4I	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 140 T4I HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 140 T4I HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 140 V-Drive	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																					
Huerlimann	XL 140 V-Drive	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																					
Huerlimann	XL 150.4 T4I	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 150.4 T4I HI-Level	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 150.7	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150.7	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150.7 HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 150.7 HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 150	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150 HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150 HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150 T4I	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150 T4I	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 150 T4I HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 150 T4I HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 155 DCR	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 155 DCR	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 155 DCR HI-Level	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 155 DCR HI-Level	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 160.4 T4I	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 160.4 T4I HI-Level	B		standard (916mm)	X	X	X																																						
Huerlimann	XL 160.4V DCR HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 160 DCR	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 160 DCR HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 160 T4I	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 160 T4I	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 160 T4I HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 160 T4I HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 165.7	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 165.7	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 165.7 HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 165.7 HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 175 DCR	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 175 DCR HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 180.7 HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 180 T4I	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 180 T4I	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 180 T4I HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 180 T4I HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 185	D		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 185 HI-Level	D		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 190 T4I	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 190 T4I	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XL 190 T4I HI-Level	C		standard (916mm)	X	X	X																																						
Huerlimann	XL 190 T4I HI-Level	C		breit (1.100mm)	X	X	X																																						
Huerlimann	XM 100	B		standard (916mm)	X	X	X																																						
Huerlimann	XM 100	B		standard (916mm)	X	X	X																																						
Huerlimann	XM 100 HI-Level	B		standard (916mm)	X	X	X																																						





Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Huerlimann	XS 90	B	Motor TIER 3 oder kleiner	standard (916mm)	X	X	X																																					
Huerlimann	XS 90	B	Motor TIER 3B oder TIER 4	standard (916mm)	X	X	X	Serie																																				
Huerlimann	XS 90	B		standard (916mm)	X	X	X	Serie																																				
Huerlimann	XT 100	B		standard (916mm)	X	X	X	Serie	✓	✓																																		
Huerlimann	XT 105	C		standard (916mm)	X	X	X																																					
Huerlimann	XT 110	B	Motor TIER 2 oder kleiner	standard (916mm)	X	X	X	Serie		✓																																		
Huerlimann	XT 110	B	Motor TIER 3 oder größer	standard (916mm)	X	X	X	Serie	✓	✓																																		
Huerlimann	XT 85	B		standard (916mm)	X	X	X	Serie		✓																																		
Huerlimann	XT 908	B		standard (916mm)	X	X	X	Serie		✓																																		
Huerlimann	XT 909	B		standard (916mm)	X	X	X	Serie		✓																																		
Huerlimann	XT 910.4	B		standard (916mm)	X	X	X	Serie		✓																																		
Huerlimann	XT 910.6	C		standard (916mm)	X	X	X																																					
Huerlimann	XT 95	B		standard (916mm)	X	X	X	Serie		✓																																		
Huerlimann	XT V-Drive 100	B		standard (916mm)	X	X	X	Serie	✓	✓																																		
Huerlimann	XT V-Drive 110	B		standard (916mm)	X	X	X	Serie	✓	✓																																		
JCB Fastrac	Fastrac 2155	C		breit (1.100mm)	X	X	X																																					
JCB Fastrac	Fastrac 2170	C		breit (1.100mm)	X	X	X																																					
JCB Fastrac	Fastrac 4160	C		breit (1.100mm)	X		X																																					
JCB Fastrac	Fastrac 4190	C		breit (1.100mm)	X		X																																					
JCB Fastrac	Fastrac 4220	C		breit (1.100mm)	X		X																																					
John Deere	1020	B		standard (916mm)	X	X	X																																					
John Deere	1030	B		standard (916mm)	X	X	X																																					
John Deere	1040	B		standard (916mm)	X	X	X																																					
John Deere	1120	B		standard (916mm)	X	X	X																																					
John Deere	1130	B		standard (916mm)	X	X	X																																					
John Deere	1140	B		standard (916mm)	X	X	X																																					
John Deere	1350	B		standard (916mm)	X	X	X																																					
John Deere	1350	B		standard (916mm)	X	X	X																																					
John Deere	1550	B		standard (916mm)	X	X	X																																					
John Deere	1550	B		standard (916mm)	X	X	X																																					
John Deere	1630	B		standard (916mm)	X	X	X																																					
John Deere	1640	B		standard (916mm)	X	X	X																																					
John Deere	1750	B		standard (916mm)	X	X	X																																					
John Deere	1750	B		standard (916mm)	X	X	X																																					
John Deere	1850	B		standard (916mm)	X	X	X																																					
John Deere	1850	B		standard (916mm)	X	X	X																																					
John Deere	1950	B		standard (916mm)	X	X	X																																					
John Deere	2020	B		standard (916mm)	X	X	X																																					
John Deere	2030	B		standard (916mm)	X	X	X																																					
John Deere	2040	B		standard (916mm)	X	X	X																																					
John Deere	2120	B		standard (916mm)	X	X	X																																					
John Deere	2130	B		standard (916mm)	X	X	X																																					
John Deere	2140	B		standard (916mm)	X	X	X																																					
John Deere	2250	B		standard (916mm)	X	X	X																																					
John Deere	2450	B		standard (916mm)	X	X	X																																					
John Deere	2650	B		standard (916mm)	X	X	X																																					
John Deere	2850	B		standard (916mm)	X	X	X																																					
John Deere	3050	C		standard (916mm)	X	X	X																																					
John Deere	3050A	C		standard (916mm)	X	X	X																																					
John Deere	3200	B		standard (916mm)	X	X	X	Serie																																				
John Deere	3210	B		standard (916mm)	X	X	X	Serie																																				
John Deere	3300	B		standard (916mm)	X	X	X	Serie																																				
John Deere	3310	B		standard (916mm)	X	X	X	Serie																																				
John Deere	3350	C		standard (916mm)	X	X	X																																					
John Deere	3350A	C		standard (916mm)	X	X	X																																					
John Deere	3400	B		standard (916mm)	X	X	X	Serie																																				
John Deere	3410	B		standard (916mm)	X	X	X	Serie																																				









































Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
Lamborghini	Spark 125 R	B		standard (916mm)		X	X	Optional	✓	✓	✓							✓	✓	✓	✓	✓	✓	✓																	✓		
Lamborghini	Spark 125 R	B		breit (1.100mm)		X	X		✓	✓	✓							✓	✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 125 R RVshift	B		standard (916mm)		X	X	Optional	✓	✓	✓							✓	✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 125 R RVshift	B		breit (1.100mm)		X	X		✓	✓	✓							✓	✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 125 R VRT	B		standard (916mm)		X	X	Optional	✓	✓	✓							✓	✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 125 R VRT	B		breit (1.100mm)		X	X		✓	✓	✓							✓	✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 130.4 RVshift	B		breit (1.100mm)		X	X					✓	✓																													✓	
Lamborghini	Spark 130.4 VRT	B		breit (1.100mm)		X	X					✓	✓																													✓	
Lamborghini	Spark 130	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 130	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 130 VRT	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 130 VRT	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 135 R	B		standard (916mm)		X	X	Optional	✓	✓	✓								✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 135 R	B		breit (1.100mm)		X	X		✓	✓	✓								✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 135 R RVshift	B		standard (916mm)		X	X	Optional	✓	✓	✓								✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 135 R RVshift	B		breit (1.100mm)		X	X		✓	✓	✓								✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 135 R VRT	B		standard (916mm)		X	X	Optional	✓	✓	✓								✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 135 R VRT	B		breit (1.100mm)		X	X		✓	✓	✓								✓	✓	✓	✓	✓	✓																		✓	
Lamborghini	Spark 140.4 RVshift	B		breit (1.100mm)		X	X					✓	✓																														
Lamborghini	Spark 140.4 VRT	B		breit (1.100mm)		X	X					✓	✓																														
Lamborghini	Spark 140	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 140	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 140 T4i	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 140 T4i	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 140 T4i Hi-Profile	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 140 T4i Hi-Profile	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 140 T4i VRT	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 140 T4i VRT	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 140 VRT	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 140 VRT	B	ohne Loader Ready	standard (916mm)	X	X	X	Optional																																			
Lamborghini	Spark 145.4	B		breit (1.100mm)		X	X	X																																			
Lamborghini	Spark 150.4 RVshift	B		breit (1.100mm)		X	X					✓	✓																														
Lamborghini	Spark 150.4 VRT	B		breit (1.100mm)		X	X					✓	✓																														
Lamborghini	Spark 150 T4i	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 150 T4i	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 150 T4i CShift	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 150 T4i CShift	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 150 T4i Hi-Profile	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 150 T4i Hi-Profile	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 155.4	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 155.4 RCshift	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 155.4 VRT	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 155	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 155 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 155 VRT	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Lamborghini Spark 160.4	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Lamborghini Spark 160.4 RCShift	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 160.4 VRT	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 160	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 160 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 160 T4i	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 160 T4i	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 160 T4i CShift	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 160 T4i CShift	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 160 T4i Hi-Profile	C		standard (916mm)	X	X	X					✓	✓																														
Lamborghini	Spark 160 T4i Hi-Profile	C		breit (1.100mm)	X	X	X					✓	✓																														
Lamborghini	Spark 160 T4i VRT	C		standard (91																																							



Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
Lamborghini	Spark 160 T4i VRT	C		breit (1.100mm)	X		X																																				
Lamborghini	Spark 160 VRT	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 165.4	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 165.4 RCshift	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 165.4 VRT	B		breit (1.100mm)	X		X																																				
Lamborghini	Spark 165	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 165 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 165 VRT	C		breit (1.100mm)	X		X																																				
Lamborghini	Lamborghini Spark 170.4	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Lamborghini Spark 170.4 RCShift	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 170.4 VRT	B		breit (1.100mm)	X		X																																				
Lamborghini	Spark 170	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 170 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 170 VRT	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 175.4	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 175.4 RCshift	B		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 175.4 VRT	B		breit (1.100mm)	X		X																																				
Lamborghini	Spark 175	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 175 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 175 VRT	C		breit (1.100mm)	X		X																																				
Lamborghini	Spark 180	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 180 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 180 VRT	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 185	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 185 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 185 VRT	C		breit (1.100mm)	X		X																																				
Lamborghini	Spark 190	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 190 Rcshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 205	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 205 RCshift	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 205 VRT	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 210	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 210 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 215	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 215 RCshift	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 215 VRT	C		breit (1.100mm)	X		X	Serie																																			
Lamborghini	Spark 230	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spark 230 RCshift	C		breit (1.100mm)	X	X	X																																				
Lamborghini	Spire 100.4	B		standard (916mm)	X	X	X	Serie																																			
Lamborghini	Spire 100.4	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 100.4 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 100.4 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 100 Trend	B		standard (916mm)	X	X	X	Serie																																			
Lamborghini	Spire 100 Trend	B		standard (916mm)	X	X	X	Serie																																			
Lamborghini	Spire 105	B		standard (916mm)	X		X	Optional																																			
Lamborghini	Spire 105	B		standard (916mm)	X		X	Optional																																			
Lamborghini	Spire 105 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 105 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 105 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 105 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 110.4 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 110.4 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 115 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 115 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 115 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 115 VRT	B		standard (916mm)	X		X	Serie																																			
Lamborghini	Spire 60 Target	B		standard (916mm)	X	X	X	Serie																																			





Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Lamborghini	Spire F 95	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire F 95	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire F 95 VRT	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire F 95 VRT	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S100	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S100	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S105	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S 105 VRT	B		standard (916mm)	X		X	Serie																																				
Lamborghini	Spire S115	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S115	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S 115 VRT	B		standard (916mm)	X		X	Serie																																				
Lamborghini	Spire S80	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S90.4	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S90.4	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S 90.4 VRT	B		standard (916mm)	X		X	Serie																																				
Lamborghini	Spire S90	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Spire S90	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Sprint 654-55	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Sprint 664-60	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Sprint 664-65	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Sprint 674-70	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Sprint 674-75	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Sprint 684-85	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 100	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 100	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 100	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 100 T4I	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 105.4 T4I	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 105	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 105 TB	B		breit (1.100mm)	X	X	X	Serie																																				
Lamborghini	Strike 105 Trend	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 105 Trend HD	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 110	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 110	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 115.4 T4I	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 115	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 115 TB	B		breit (1.100mm)	X	X	X	Serie																																				
Lamborghini	Strike 115 Trend HD	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 120	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 125	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 125 Trend HD	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 80	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 80 T4I	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 80 Trend	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 90.4 T4I	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 90	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 90	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 90 T4I	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike 95	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike 95 Trend	B		standard (916mm)	X	X	X	Optional																																				
Lamborghini	Strike TB 105	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike TB 105	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike TB 115	B		standard (916mm)	X	X	X	Serie																																				
Lamborghini	Strike TB 115	B		standard (916mm)	X	X	X	Serie																																				
Landini	4-060	B		standard (916mm)	X	X	X	Serie																																				
Landini	4-070	B		standard (916mm)	X	X	X	Serie																																				



Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p									
Landini	4-080	B		standard (916mm)	X	X	X	Serie																																									
Landini	4-090 Techno	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	4-090 Top	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	4-100 Techno	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	4-100 Top	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	4-105 Techno	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	4-105 Top	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5085	B		breit (1.100mm)	X	X	X																																										
Landini	5-080 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-080 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-090 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-090 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-100	B		standard (916mm)	X	X	X																																										
Landini	5-100	B		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	5-100 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-100 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-110	B		standard (916mm)	X	X	X																																										
Landini	5-110	B		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	5-110 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-110 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-110 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-115 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-115 H	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	5-120	B		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	6-125 C T-Tronic	B		standard (916mm)	X	X	X																																										
Landini	6-125 H	B		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	6-135 RS	C		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	6-135 C T-Tronic	B		standard (916mm)	X	X	X																																										
Landini	6-135 H	B		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	6-145 RS	C		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	6-145 C T-Tronic	B		standard (916mm)	X	X	X																																										
Landini	6-155 RS	C		breit (1.100mm)	X	X	X	Serie	✓	✓																																							
Landini	6860	C		standard (916mm)	X	X	X																																										
Landini	6860 DT	C		standard (916mm)	X	X	X		✓	✓																																							
Landini	7-175 V-Shift	C		breit (1.100mm)	X	X	X																																										
Landini	7500	C		standard (916mm)	X	X	X		✓	✓																																							
Landini	7860	C		standard (916mm)	X	X	X																																										
Landini	7860 DT	C		standard (916mm)	X	X	X			✓																																							
Landini	8500	C		standard (916mm)	X	X	X		✓	✓																																							
Landini	8860	C		standard (916mm)	X	X	X																																										
Landini	8860 DT	C		standard (916mm)	X	X	X			✓																																							
Landini	Alpine 60 GT T3	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 60 T3	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 65	B	ohne Frontkraftheber Werksseitig	standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 65	B	mit Frontkraftheber Werksseitig	standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 65 GT	B	ohne Frontkraftheber Werksseitig	standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 65 GT	B	mit Frontkraftheber Werksseitig	standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 70 GT T3	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 70 T3	B		standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 75	B	ohne Frontkraftheber Werksseitig	standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 75	B	mit Frontkraftheber Werksseitig	standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 75 GT	B	ohne Frontkraftheber Werksseitig	standard (916mm)	X	X	X	Serie	✓	✓																																							
Landini	Alpine 75 GT	B																																															





Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p					
Landini	Rex 70 F	C		standard (916mm)	X	X	X																																						
Landini	Rex 70 GE	C		standard (916mm)	X	X	X																																						
Landini	Rex 70 L	C		standard (916mm)	X	X	X																																						
Landini	Rex 75 F	C		standard (916mm)	X	X	X																																						
Landini	Rex 75 GE	C		standard (916mm)	X	X	X																																						
Landini	Rex 75 GT	C		standard (916mm)	X	X	X																																						
Landini	Rex 80 F	C		standard (916mm)	X	X	X																																						
Landini	Rex 80 GE	C		standard (916mm)	X	X	X																																						
Landini	Rex 80 L	C		standard (916mm)	X	X	X																																						
Landini	Rex 85 F	C		standard (916mm)	X	X	X																																						
Landini	Rex 85 GE	C		standard (916mm)	X	X	X																																						
Landini	Rex 85 GT	C		standard (916mm)	X	X	X																																						
Landini	Rex 95 F	C		standard (916mm)	X	X	X																																						
Landini	Rex 95 GE	C		standard (916mm)	X	X	X																																						
Landini	Rex 95 GT	C		standard (916mm)	X	X	X																																						
Landini	Technofarm 75 T2	A		standard (916mm)	X	X	X	Optional								✓																													
Landini	Technofarm 80 T3	A		standard (916mm)	X	X	X	Optional							✓																														
Landini	Vision 100	C		standard (916mm)	X	X	X	Serie		✓																																			
Landini	Vision 105	C		standard (916mm)	X	X	X	Serie		✓																																			
Landini	Vision 80	C		standard (916mm)	X	X	X	Serie		✓																																			
Landini	Vision 85	C		standard (916mm)	X	X	X	Serie		✓																																			
Landini	Vision 90	C		standard (916mm)	X	X	X	Serie		✓																																			
Landini	Vision 95	C		standard (916mm)	X	X	X	Serie		✓																																			
Lindner	1450	B		standard (916mm)	X	X	X									✓																													
Lindner	1500	B		standard (916mm)	X	X	X									✓																													
Lindner	1600	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 103	B		standard (916mm)	X	X	X	Serie		✓																																			
Lindner	Geotrac 114 EP	B		standard (916mm)				Serie		✓																																			
Lindner	Geotrac 134 EP	B		standard (916mm)				Serie		✓																																			
Lindner	Geotrac 50	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 60	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 63	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 64	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 65	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 70	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 73	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 74	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 74 EP	B		standard (916mm)	X	X	X	Serie								✓																													
Lindner	Geotrac 75	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 80	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 83	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 84	B		standard (916mm)	X	X	X	Serie								✓																													
Lindner	Geotrac 84 EP	B		standard (916mm)	X	X	X	Serie								✓																													
Lindner	Geotrac 84 EP Pro	B		standard (916mm)	X	X	X	Serie	✓	✓						✓																													
Lindner	Geotrac 93	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 94	B		standard (916mm)	X	X	X									✓																													
Lindner	Geotrac 94 EP	B		standard (916mm)	X	X	X	Serie		✓																																			
Lindner	Lintrac 115 LS	B		standard (916mm)	X					✓						✓																													
Lindner	Lintrac 75 LS	B		standard (916mm)	X											✓																													
Lindner	Lintrac 95 LS	B		standard (916mm)	X					✓						✓																													
LS	Plus 70	C		standard (916mm)	X			Serie								✓																													
LS	Plus 80	C		standard (916mm)	X			Serie								✓																													
LS	Plus 90	C		standard (916mm)	X			Serie								✓																													
MB Trac	1000	C		standard (916mm)	X	X	X																																						
MB Trac	1100	C		standard (916mm)	X	X	X																																						
MB Trac	65/70	C		standard (916mm)	X	X	X									✓																													
MB Trac	700	C		standard (916mm)	X	X	X																																						







Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
McCormick	F 60 F	C		standard (916mm)	X	X	X																																				
McCormick	F 60 GE	C		standard (916mm)	X	X	X																																				
McCormick	F 70 F	C		standard (916mm)	X	X	X																																				
McCormick	F 70 GE	C		standard (916mm)	X	X	X																																				
McCormick	F 75 F	C		standard (916mm)	X	X	X																																				
McCormick	F 75 GE	C		standard (916mm)	X	X	X																																				
McCormick	F 75 XL	C		standard (916mm)	X	X	X																																				
McCormick	F 80 F	C		standard (916mm)	X	X	X																																				
McCormick	F 80 GE	C		standard (916mm)	X	X	X																																				
McCormick	F 85 F	C		standard (916mm)	X	X	X																																				
McCormick	F 85 GE	C		standard (916mm)	X	X	X																																				
McCormick	F 85 XL	C		standard (916mm)	X	X	X																																				
McCormick	F 95 F	C		standard (916mm)	X	X	X																																				
McCormick	F 95 GE	C		standard (916mm)	X	X	X																																				
McCormick	F 95 XL	C		standard (916mm)	X	X	X																																				
McCormick	MC 100	B		standard (916mm)	X	X	X			✓																																	
McCormick	MC 105	B		standard (916mm)	X	X	X			✓																																	
McCormick	MC 110 T3	C		standard (916mm)	X	X	X				✓																																
McCormick	MC 115	C		standard (916mm)	X	X	X				✓																																
McCormick	MC 115 T3	C		standard (916mm)	X	X	X				✓																																
McCormick	MC 130 T3	C		standard (916mm)	X	X	X				✓																																
McCormick	MC 80	B		standard (916mm)	X	X	X				✓																																
McCormick	MC 90	B		standard (916mm)	X	X	X				✓																																
McCormick	MC 95	B		standard (916mm)	X	X	X				✓																																
McCormick	MTX 110	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	MTX 120	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	MTX 125	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	MTX 135	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	MTX 140	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	MTX 150	C		breit (1.100mm)	X	X	X																																				
McCormick	MTX 155	C		breit (1.100mm)	X	X	X																																				
McCormick	MTX 175	C		breit (1.100mm)	X	X	X																																				
McCormick	MX 100	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	MX 110	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	MX 120	C		breit (1.100mm)	X	X	X																																				
McCormick	MX 135	C		breit (1.100mm)	X	X	X					✓	✓																														
McCormick	T 100 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 100 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 110 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 110 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 115 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 115 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 80 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 80 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 90 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	T 90 Max	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	X 4.060	B		standard (916mm)	X	X	X	Serie																																			
McCormick	X 4.070	B		standard (916mm)	X	X	X	Serie																																			
McCormick	X 4.080	B		standard (916mm)	X	X	X	Serie																																			
McCormick	X 4.50 Power Shuttle	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
McCormick	X 4.50 Synchro Shuttle	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	X 4.60 Power Shuttle	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	X 4.60 Synchro Shuttle	B		standard (916mm)	X	X	X	Serie	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
McCormick	X 4.70 Power Shuttle	B		standard (916mm)	X	X	X	Serie	✓	✓			</																														













Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
Massey Ferguson	6718 S Dyna 6	B		breit (1.100mm)		X	X	Serie																																			
Massey Ferguson	6718 S Dyna 6	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6718 S Dyna VT	B		breit (1.100mm)		X	X	Serie																																			
Massey Ferguson	6718 S Dyna VT	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.135 Dyna 6	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.135 Dyna VT	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.145 Dyna 6	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.145 Dyna VT	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.155 Dyna 6	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.155 Dyna VT	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.165 Dyna 6	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.165 Dyna VT	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.180 Dyna 6	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	6S.180 Dyna VT	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7465	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7465	C		standard (916mm)	X	X	X	Serie																																			
Massey Ferguson	7465	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7465	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7475	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7475	C		standard (916mm)	X	X	X	Serie																																			
Massey Ferguson	7475	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7475	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7480	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7480	C		standard (916mm)	X	X	X	Serie																																			
Massey Ferguson	7480	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7480	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7485	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7490	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7495	C		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7614 Dyna 4	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7615 Dyna 4	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7615 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7615 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7615 Dyna VT	B		breit (1.100mm)	X			Serie																																			
Massey Ferguson	7615 Dyna VT	B		breit (1.100mm)	X			Serie																																			
Massey Ferguson	7616 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7616 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7616 Dyna VT	B		breit (1.100mm)	X			Serie																																			
Massey Ferguson	7616 Dyna VT	B		breit (1.100mm)	X			Serie																																			
Massey Ferguson	7618 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7618 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7618 Dyna VT	B		breit (1.100mm)	X			Serie																																			
Massey Ferguson	7618 Dyna VT	B		breit (1.100mm)	X			Serie																																			
Massey Ferguson	7619 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7619 Dyna VT	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7620 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7620 Dyna VT	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7622 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7622 Dyna VT	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7624 Dyna 6	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7624 Dyna VT	B		breit (1.100mm)	X	X	X	Serie																																			
Massey Ferguson	7714 Dyna 4	C		breit (1.100mm)		X	X	Serie																																			
Massey Ferguson	7715 Dyna 4	C		breit (1.100mm)		X	X	Serie																																			
Massey Ferguson	7715 Dyna 6	C		breit (1.100mm)		X	X	Serie																																			
Massey Ferguson	7715 S Dyna 6	C		breit (1.100mm)		X	X	Serie																																			
Massey Ferguson	7715 S Dyna VT	C		breit (1.100mm)		X	X	Serie																																			



Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Massey Ferguson	7716 Dyna 6	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7716 Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7716 S Dyna 6	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7716 S Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7718 Dyna 6	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7718 Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7718 S Dyna 6	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7718 S Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7719 Dyna 6	C		breit (1.100mm)				Serie																																				
Massey Ferguson	7719 S Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7720 Dyna VT	C		breit (1.100mm)				Serie																																				
Massey Ferguson	7720 Dyna VT Next Edition	C		breit (1.100mm)				Serie																																				
Massey Ferguson	7722 Dyna VT	C		breit (1.100mm)				Serie																																				
Massey Ferguson	7724 Dyna VT	C		breit (1.100mm)				Serie																																				
Massey Ferguson	7726 Dyna VT	C		breit (1.100mm)				Serie																																				
Massey Ferguson	7726 Dyna VT Next Edition	C		breit (1.100mm)				Serie																																				
Massey Ferguson	7S.155 Dyna 6	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7S.155 Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7S.165 Dyna 6	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7S.165 Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7S.180 Dyna 6	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7S.180 Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7S.190 Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	7S.210 Dyna VT	C		breit (1.100mm)		X	X	Serie																																				
Massey Ferguson	8S.205	C		breit (1.100mm)	X																																							
Massey Ferguson	8S.225	C		breit (1.100mm)	X																																							
Massey Ferguson	8S.245	C		breit (1.100mm)	X																																							
Massey Ferguson	8S.265	C		breit (1.100mm)	X																																							
Massey Ferguson	8S.285	C		breit (1.100mm)	X																																							
Massey Ferguson	8S.305	C		breit (1.100mm)	X																																							
New Holland	Powerstar 100	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar 100	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar 110	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar 110	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar 120	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar 120	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar 90	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar T 4.55	B		standard (916mm)	X	X	X																																					
New Holland	Powerstar T 4.55	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar T 4.55	B		standard (916mm)	X	X	X																																					
New Holland	Powerstar T 4.65	B		standard (916mm)	X	X	X																																					
New Holland	Powerstar T 4.65	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar T 4.65	B		standard (916mm)	X	X	X																																					
New Holland	Powerstar T 4.75	B		standard (916mm)	X	X	X																																					
New Holland	Powerstar T 4.75	B		breit (1.100mm)	X	X	X																																					
New Holland	Powerstar T 4.75	B		standard (916mm)	X	X	X																																					
New Holland	T 3.60 LP	B		standard (916mm)		X																																						
New Holland	T 3.70 LP	B		standard (916mm)		X																																						
New Holland	T 3.80 LP	B		standard (916mm)		X																																						
New Holland	T 4.100 F	B		breit (1.100mm)		X	X	Optional																																				
New Holland	T 4.100 F Stage V	B		breit (1.100mm)		X		Optional																																				
New Holland	T 4.100 F Stage V	B		breit (1.100mm)	X	X	X	Serie																																				
New Holland	T 4.100 F Stage V Super Steer	B		breit (1.100mm)		X	X	Optional																																				
New Holland	T 4.100 F Stage V Super Steer	B		breit (1.100mm)		X	X	Serie																																				
New Holland	T 4.100 LP	B		breit (1.100mm)	X	X	X	Optional																																				
New Holland	T 4.100 LP Stage V	B		breit (1.100mm)		X		Optional																																				













Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
New Holland	T 6050 Range Command	C		standard (916mm)	X	X	X					✓										✓	✓	✓	✓	✓																	
New Holland	T 6060 Elite	C	mit Super-Steer Vorderachse	standard (916mm)	X	X	X	Optional																																			
New Holland	T 6060 Elite	B	Ohne Super-Steer Vorderachse	breit (1.100mm)	X	X	X					✓	✓																														
New Holland	T 6060 Elite	B	Ohne Super-Steer Vorderachse	standard (916mm)	X	X	X																																				
New Holland	T 6070 Elite	C		standard (916mm)	X	X	X																																				
New Holland	T 6070 Elite	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6070 Elite	C		standard (916mm)	X	X	X																																				
New Holland	T 6070 Plus	C		standard (916mm)	X	X	X	Optional																																			
New Holland	T 6070 Plus	C		breit (1.100mm)	X	X	X	Optional																																			
New Holland	T 6070 Plus	C		standard (916mm)	X	X	X	Optional																																			
New Holland	T 6070 Power Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6070 Power Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6070 Power Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6070 Range Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6070 Range Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6070 Range Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6080 Elite	C		standard (916mm)	X	X	X																																				
New Holland	T 6080 Elite	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6080 Elite	C		standard (916mm)	X	X	X																																				
New Holland	T 6080 Power Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6080 Power Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6080 Power Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6080 Range Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6080 Range Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6080 Range Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6080 Range Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6090 Power Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6090 Power Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6090 Power Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6090 Range Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6090 Range Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 6090 Range Command	C		standard (916mm)	X	X	X																																				
New Holland	T 6090 Range Command	C		breit (1.100mm)	X	X	X																																				
New Holland	T 7030	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7030 Auto Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7030 Power Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7040	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7040 Auto Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7040 Power Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7050	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7050 Auto Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7050 Power Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7060	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7060 Auto Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7060 Power Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7070 Auto Command	C		breit (1.100mm)	X	X	X	Serie																																			
New Holland	T 7070 Power Command	C		breit (1.100mm)	X			Serie																																			
New Holland	T 7510	C		breit (1.100mm)	X			Serie																																			
New Holland	T 7510	C		breit (1.100mm)	X			Serie																																			
New Holland	T 7520	C		breit (1.100mm)	X			Serie																																			
New Holland	T 7520	C		breit (1.100mm)	X			Serie																																			
New Holland	T 7530	C		breit (1.100mm)	X			Serie																																			
New Holland	T 7530	C		breit (1.100mm)	X			Serie																																			
New Holland	T 7540	C		breit (1.100mm)	X			Serie																																			













Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
New Holland	TD 5.65	B		standard (916mm)	X	X	X	Optional																																				
New Holland	TD 5.75	B		standard (916mm)	X	X	X	Optional																																				
New Holland	TD 5.75	B		standard (916mm)	X	X	X	Optional																																				
New Holland	TD 5.80	B		standard (916mm)	X	X	X	Optional																																				
New Holland	TD 5.85	B		standard (916mm)	X	X	X																																					
New Holland	TD 5.85	B		breit (1.100mm)	X	X	X																																					
New Holland	TD 5.85	B		standard (916mm)	X	X	X																																					
New Holland	TD 5.90	B		standard (916mm)	X	X	X	Optional																																				
New Holland	TD 5.95	B		standard (916mm)	X	X	X																																					
New Holland	TD 5.95	B		breit (1.100mm)	X	X	X																																					
New Holland	TD 5.95	B		standard (916mm)	X	X	X																																					
New Holland	TD 5010	B		standard (916mm)	X	X	X																																					
New Holland	TD 5020	B		standard (916mm)	X	X	X																																					
New Holland	TD 5030	B		standard (916mm)	X	X	X																																					
New Holland	TD 5040	B		standard (916mm)	X	X	X																																					
New Holland	TD 5050	B		standard (916mm)	X	X	X																																					
New Holland	TD 70 D	B		standard (916mm)	X	X	X																																					
New Holland	TD 75 D	B	mit Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 75 D	B	ohne Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 80 D	B	mit Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 80 D	B	ohne Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 85 D	B	mit Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 85 D	B	ohne Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 90 D	B	mit Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 90 D	B	ohne Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 95 D	B	mit Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TD 95 D	B	ohne Klimaanlage	standard (916mm)	X	X	X																																					
New Holland	TL 100	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 100A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 100A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 70	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 70A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 70A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 80	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 80A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 80A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 90	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 90A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TL 90A	B		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 115	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 115	C		breit (1.100mm)	X	X	X	Serie																																				
New Holland	TM 115	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 115	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 120	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 120	C		breit (1.100mm)	X	X	X	Serie																																				
New Holland	TM 120	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 120	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 125	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 125	C		breit (1.100mm)	X	X	X	Serie																																				
New Holland	TM 125	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 125	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 130	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 130	C		breit (1.100mm)	X	X	X	Serie																																				
New Holland	TM 130	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 130	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 135	C		standard (916mm)	X	X	X	Serie																																				
New Holland	TM 135	C		breit (1.100mm)	X	X	X	Serie																																				





















Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
Same	Iron 155 DCR HI-Line	B		standard (916mm)	X	X	X																																				
Same	Iron 160 4V DCR	C		standard (916mm)	X	X	X																																				
Same	Iron 160 4V DCR HI-Line	C		standard (916mm)	X	X	X																																				
Same	Iron 160 DCR	C		standard (916mm)	X	X	X																																				
Same	Iron 160 DCR HI-Line	C		standard (916mm)	X	X	X																																				
Same	Iron 165.7	C		standard (916mm)	X	X	X																																				
Same	Iron 165.7	C		standard (916mm)	X	X	X																																				
Same	Iron 165.7	C		breit (1.100mm)	X	X	X																																				
Same	Iron 165.7 Continuo	C		standard (916mm)	X	X	X																																				
Same	Iron 165.7 Continuo	C		breit (1.100mm)	X	X	X																																				
Same	Iron 165.7 HI-Line	C		standard (916mm)	X	X	X																																				
Same	Iron 165.7 HI-Line	C		breit (1.100mm)	X	X	X																																				
Same	Iron 165S	C		standard (916mm)	X	X	X																																				
Same	Iron 165S	C		standard (916mm)	X	X	X																																				
Same	Iron 170 Continuo DCR	C		standard (916mm)	X	X	X																																				
Same	Iron 175 DCR	C		standard (916mm)	X	X	X																																				
Same	Iron 175 DCR HI-Line	C		standard (916mm)	X	X	X																																				
Same	Iron 180.7 HI-Line	C		breit (1.100mm)	X	X	X																																				
Same	Iron 185	D		breit (1.100mm)	X	X	X																																				
Same	Iron 185 HI-Line	D		breit (1.100mm)	X	X	X																																				
Same	Iron 190 Continuo	C		breit (1.100mm)	X			Serie																																			
Same	Iron Continuo 115	B		standard (916mm)	X	X	X																																				
Same	Iron Continuo 115	B		standard (916mm)	X	X	X																																				
Same	Iron Continuo 125	B		standard (916mm)	X	X	X																																				
Same	Iron Continuo 125	B		standard (916mm)	X	X	X																																				
Same	Iron Continuo 135	B		standard (916mm)	X	X	X																																				
Same	Iron Continuo 135	B		standard (916mm)	X	X	X																																				
Same	Roller 70 W	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver 100.4	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver 100.6	C		standard (916mm)	X	X	X																																				
Same	Silver 105	C		standard (916mm)	X	X	X																																				
Same	Silver 110	D	6 Zylinder	standard (916mm)	X	X	X	Serie																																			
Same	Silver 110	B	4 Zylinder	standard (916mm)	X	X	X	Serie																																			
Same	Silver 115	D		standard (916mm)	X	X	X	Serie																																			
Same	Silver 130	D		standard (916mm)	X	X	X	Serie																																			
Same	Silver 80	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver 85	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver 90	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver 95	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver3 100	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver3 110	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver3 Continuo 100	B		standard (916mm)	X	X	X	Serie																																			
Same	Silver3 Continuo 110	B		standard (916mm)	X	X	X	Serie																																			
Same	Tiger 50	B		standard (916mm)	X	X	X	Serie																																			
Same	Tiger 60	B		standard (916mm)	X	X	X	Serie																																			
Same	Tiger 65	B		standard (916mm)	X	X	X	Serie																																			
Same	Tiger 70	B		standard (916mm)	X	X	X	Serie																																			
Same	Tiger 75	B		standard (916mm)	X	X	X	Serie																																			
Same	Virtus 100	B		standard (916mm)	X	X	X	Optional																																			
Same	Virtus 100 Infinity	B		standard (916mm)	X	X	X	Optional																																			
Same	Virtus 110	B		standard (916mm)	X	X	X	Optional																																			
Same	Virtus 110 Infinity	B		standard (916mm)	X	X	X	Optional																																			
Same	Virtus 115	B		standard (916mm)	X	X	X	Optional																																			
Same	Virtus 115	B		breit (1.100mm)	X	X	X																																				
Same	Virtus 115 RVshift	B		standard (916mm)	X	X	X	Optional																																			
Same	Virtus 115 RVshift	B		breit (1.100mm)	X	X	X																																				
Same	Virtus 120	B		standard (916mm)	X	X	X	Optional																																			







Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p							
Steyr	8100	D		standard (916mm)	X	X	X																																								
Steyr	8110	D		standard (916mm)	X	X	X																																								
Steyr	8120	D		standard (916mm)	X	X	X																																								
Steyr	8130	D		standard (916mm)	X	X	X																																								
Steyr	9078	C		standard (916mm)	X	X	X	Serie																																							
Steyr	9080 M	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9080 MT	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9085 MT	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9086	C		standard (916mm)	X	X	X	Serie																																							
Steyr	9090 M	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9090 MT	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9094	C		standard (916mm)	X	X	X	Serie																																							
Steyr	9095 MT	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9100 M	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9100 MT	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9105	B		breit (1.100mm)	X	X	X																																								
Steyr	9105 MT	B		standard (916mm)	X	X	X	Serie																																							
Steyr	9115	C		breit (1.100mm)	X	X	X																																								
Steyr	9125	C		breit (1.100mm)	X	X	X																																								
Steyr	9145	C		breit (1.100mm)	X	X	X																																								
Steyr	955	C		standard (916mm)	X	X	X																																								
Steyr	964	C		standard (916mm)	X	X	X																																								
Steyr	970	C		standard (916mm)	X	X	X																																								
Steyr	CVT 120	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 120	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 130	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 130	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 150	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 150	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 170	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 170	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6135	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6135	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6140	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6140	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6145	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6145	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6150	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6150	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6155	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6155	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6160	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6160	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6170	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6170	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6175	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6175	C		breit (1.100mm)	X			Serie																																							
Steyr	CVT 6190	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6190	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6195	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	CVT 6195	C		breit (1.100mm)	X	X	X	Serie																																							
Steyr	Kompakt 4055 S	B		standard (916mm)	X	X	X																																								
Steyr	Kompakt 4055 S ET	B		breit (1.100mm)	X	X	X																																								
Steyr	Kompakt 4065 S	B		standard (916mm)	X	X	X																																								
Steyr	Kompakt 4065 S ET	B		breit (1.																																											













Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p					
Valtra	6200	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6250	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6250	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6300	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6300	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6350	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6350	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6400	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6400	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6500	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6500	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6550	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6550	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6600	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6600	C		standard (916mm)	X	X	X	Serie																																					
Valtra	665 S	B		standard (916mm)	X	X	X	Serie		✓									✓	✓																				✓	✓	✓			
Valtra	6650	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6650	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6750	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6750	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6800	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6800	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6850	C		standard (916mm)	X	X	X	Serie																																					
Valtra	6850	C		standard (916mm)	X	X	X	Serie																																					
Valtra	700	B		standard (916mm)	X	X	X	Serie		✓																															✓	✓			
Valtra	705	C		standard (916mm)	X	X	X	Serie																																					
Valtra	705	C		standard (916mm)	X	X	X	Serie																																					
Valtra	755	C		standard (916mm)	X	X	X	Serie																																					
Valtra	755	C		standard (916mm)	X	X	X	Serie																																					
Valtra	800	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	8000	C		breit (1.100mm)	X	X	X	Serie				✓	✓																														✓	✓	✓
Valtra	8050	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8050	C		breit (1.100mm)	X	X	X	Serie				✓	✓																																
Valtra	8100	C		breit (1.100mm)	X	X	X	Serie				✓	✓																																
Valtra	8150	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8150	C		breit (1.100mm)	X	X	X	Serie				✓	✓																																
Valtra	8200	C		breit (1.100mm)	X	X	X	Serie				✓	✓																																
Valtra	8350	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8350	C		breit (1.100mm)	X	X	X	Serie				✓	✓																																
Valtra	8400	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8450	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8450	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8550	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8550	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	865	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	8750	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8750	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	8950	C		breit (1.100mm)	X	X	X	Serie																																					
Valtra	900	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 104	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 104 Hitech4	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 105 Hitech	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 105 Hitech4	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 114	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 114 Hitech4	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 115 Hitech	B		standard (916mm)	X	X	X	Serie		✓																																			
Valtra	A 115 Hitech4	B		standard (91																																									







Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsubstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p				
Valtra	T 131 Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 131 Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 140	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 140	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 140 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 140 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 140 Classic Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 140 Classic Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 144 Active	C		breit (1.100mm)			X																																					
Valtra	T 144 Direct	C		breit (1.100mm)	X	X	X																																					
Valtra	T 144 Hitech	C		breit (1.100mm)			X																																					
Valtra	T 144 Versu	C		breit (1.100mm)	X	X	X																																					
Valtra	T 145 Active	C		breit (1.100mm)			X																																					
Valtra	T 145 Direct	C		breit (1.100mm)	X	X	X																																					
Valtra	T 145 Hitech	C		breit (1.100mm)			X																																					
Valtra	T 145 Versu	C		breit (1.100mm)	X	X	X																																					
Valtra	T 150	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 150	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 150 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 150 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 150 Classic Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 150 Classic Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 151e Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 151e Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 151e Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 154 Active	C		breit (1.100mm)			X																																					
Valtra	T 154 Direct	C		breit (1.100mm)	X	X	X																																					
Valtra	T 154 Hitech	C		breit (1.100mm)			X																																					
Valtra	T 154 Versu	C		breit (1.100mm)	X	X	X																																					
Valtra	T 155 Active	C		breit (1.100mm)			X																																					
Valtra	T 155 Direct	C		breit (1.100mm)	X	X	X																																					
Valtra	T 155 Hitech	C		breit (1.100mm)			X																																					
Valtra	T 155 Versu	C		breit (1.100mm)	X	X	X																																					
Valtra	T 160	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 160	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 160 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 160 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 160 Classic Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 160 Classic Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 160 Classic Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 161 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 161 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 161 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 161 Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 161 Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 161 Hitech	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 170	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 170	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 170	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 170 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 170 Classic	C		breit (1.100mm)	X	X	X	Serie																																				
Valtra	T 170 Classic	C		breit (1.100mm)	X	X	X	Serie																																				





Schlepper/Schwingen Zuordnung  
STOLL ProfiLine & SOLID  
Stand: 16.01.2025

Traktor Hersteller	Traktor Name	AT Preis Kat	Traktor INFO	AT Breite	Standard Hydraulik	BaseControl	ProControl	Hinterachsabstützung	FS 3624	FS 3927	FS 3931	FS 4133	FS 4137	FS 4334	FS 4338	FZ 3620	FZ 3624	FZ 3923	FZ 3927	FZ 3931	FZ 4125	FZ 4129	FZ 4133	FZ 4327	FZ 4330	FZ 4334	FZ 4626	FZ 4629	FZ 4633	FZ 4833	FZ 4837	FZ 4842	SOLID 2814p	SOLID 3016h	SOLID 3016p	SOLID 3518h	SOLID 3518p	SOLID 3820h	SOLID 3820p	SOLID 4022p			
Valtra	T 234 Versu	C		breit (1.100mm)	X	X	X																																				
Valtra	T 235 Active	C		breit (1.100mm)		X	X																																				
Valtra	T 235 Direct	C		breit (1.100mm)	X	X	X																																				
Valtra	T 235 Hitech	C		breit (1.100mm)																																							
Valtra	T 235 Versu	C		breit (1.100mm)	X	X	X																																				
Valtra	T 254 Active	C		breit (1.100mm)		X	X																																				
Valtra	T 254 Hitech	C		breit (1.100mm)		X	X																																				
Valtra	T 254 Versu	C		breit (1.100mm)	X	X	X																																				
Valtra	T 255 Active	C		breit (1.100mm)		X	X																																				
Valtra	T 255 Hitech	C		breit (1.100mm)																																							
Valtra	T 255 Versu	C		breit (1.100mm)	X	X	X																																				
Zetor	10641 Forterra	B		standard (916mm)	X	X	X	Serie	✓																																		✓
Zetor	11441 Forterra	B		standard (916mm)	X	X	X	Serie	✓																																		✓
Zetor	11741-4C Forterra	B		standard (916mm)	X	X	X	Serie	✓																																		✓
Zetor	4340	C		standard (916mm)	X	X	X	Serie								✓																											✓
Zetor	4340 Major	B		standard (916mm)	X	X	X									✓																											✓
Zetor	4341	B		standard (916mm)	X	X	X									✓																											✓
Zetor	4341 Super	B		standard (916mm)	X	X	X									✓																											✓
Zetor	5211	C		standard (916mm)		X	X																																				✓
Zetor	5245	C		standard (916mm)		X	X																																				✓
Zetor	5340	C		standard (916mm)	X	X	X	Serie																																			✓
Zetor	5340 Major	B		standard (916mm)	X	X	X									✓																											✓
Zetor	5341	B		standard (916mm)	X	X	X									✓																											✓
Zetor	5341 Super	B		standard (916mm)	X	X	X									✓																											✓
Zetor	6340	C		standard (916mm)	X	X	X	Serie																																			✓
Zetor	6340 Major	B		standard (916mm)	X	X	X									✓																											✓
Zetor	6341	B		standard (916mm)	X	X	X									✓																											✓
Zetor	6341 Super	B		standard (916mm)	X	X	X									✓																											✓
Zetor	6421 Proxima	B		standard (916mm)	X	X	X									✓																											✓
Zetor	6441 Proxima	B		standard (916mm)	X	X	X									✓																											✓
Zetor	7340 Major	B		standard (916mm)	X	X	X									✓																											✓
Zetor	7340 T	C		standard (916mm)	X	X	X	Serie																																			✓
Zetor	7341	B		standard (916mm)	X	X	X									✓																											✓
Zetor	7341 Super	B		standard (916mm)	X	X	X									✓																											✓
Zetor	7421 Proxima	B		standard (916mm)	X	X	X									✓																											✓
Zetor	7441 Proxima	B		standard (916mm)	X	X	X									✓																											✓
Zetor	7745 Major	B		standard (916mm)	X	X	X									✓																											✓
Zetor	7745 T	C		standard (916mm)	X	X	X	Serie																																			✓
Zetor	8421 Proxima	B		standard (916mm)	X	X	X									✓																											✓
Zetor	8441 Proxima	B		standard (916mm)	X	X	X									✓																											✓
Zetor	8641 Forterra	B		standard (916mm)	X	X	X	Serie	✓																																		✓
Zetor	9641 Forterra	B		standard (916mm)	X	X	X	Serie	✓																																		✓
Zetor	Major 80	A		standard (916mm)		X	X	Serie								✓																											✓